

H2O

by Bataille & iBens

Bulo





Bataille & iBens

Claire Bataille and Paul iBens studied architecture together at the Henry Van de Velde Institute in Antwerp where they both received greatest distinction in 1962. In 1968 they decided to work together. 45 years later they are still partners. In the years of working together, Bataille and iBens have a list of impressive projects to their name, ranging from private residences, retail spaces and offices to public spaces. Besides architecture, furniture and objects have been a second passion of theirs. Consistently through their entire body of work, they have adopted the golden section, resulting in a minimalist visual language that continues to feel fresh and innovative, even half a century later. The duo received a lifetime achievement award from the Belgian organization for interior architects (AiNB) in 2009.



H2O

H2O is a Bulo classic designed by Bataille & iBens. A simple rectangular top on 4 cross-shaped aluminium legs. The table can function as work, meeting or dining table and fits in both classic and modern interiors. H2O table modules link together to become workstations and benching. The table tops are available in various wood veneers, laminates and leather. Finishes for the base: natural anodized, polished or bronze anodized aluminium or black and white powder coat.

In 2019, the design of the H2O celebrates its 25th anniversary. To celebrate the occasion, Bulo developed with a wood version of the iconic cross shaped leg.

Single table



Base

The cross-shaped legs are made of solid aluminium, 689 mm / 27" long. Available in natural anodized, lily white lacquered, black lacquered, grey-green lacquered, bronze color anodized and polished.

Tops & height adjustability


Melamine on chipboard with matching ABS edge band, 18 mm / 0.7" thick h.715 - 795 mm / 28" - 31"

HPL Fenix on mdf with matching ABS edge band, 13 mm / 0.5" thick h.710 - 790 mm / 28" - 31"
Fenix can only be applied on tops up till 1500 mm / 59" deep.

Veneer on chipboard with matching veneer edge band, 22 mm / 0.9" thick h.719 - 799 mm / 28" - 31"
Veneer on mdf, chamfered edge, 27 mm / 1" thick (10 mm / 0.4" straight veneered edge visible)
h.724 - 804 mm / 28.5" - 32"


Leather on mdf, decorative aluminium profile underneath the leather edges h.737 - 817 mm / 29" - 32"
The position of the legs on the height adjustment elements sets the height of the top at installation.
Tops as from 2400 mm / 94.5" wide can bend slightly.

Single table




Top in melamine, Fenix HPL or veneer - 800 mm / 31.5" deep

w.800 x d.800 mm / 31.5" x 31.5"	w.2000 x d.800 mm / 79" x 31.5"
w.1400 x d.800 mm / 55" x 31.5"	w.2200 x d.800 mm / 87" x 31.5"
w.1600 x d.800 mm / 63" x 31.5"	w.2400 x d.800 mm / 94.5" x 31.5"
w.1800 x d.800 mm / 71" x 31.5"	w.2600 x d.800 mm / 102" x 31.5"




Top in melamine, Fenix HPL or veneer - 1000 mm / 39.5" deep

w.1000 x d.1000 mm / 39.5" x 39.5"	w.2000 x d.1000 mm / 79" x 39.5"
w.1400 x d.1000 mm / 55" x 39.5"	w.2200 x d.1000 mm / 87" x 39.5"
w.1600 x d.1000 mm / 63" x 39.5"	w.2400 x d.1000 mm / 94.5" x 39.5"
w.1800 x d.1000 mm / 71" x 39.5"	w.2600 x d.1000 mm / 102" x 39.5"




Top in melamine, Fenix HPL or veneer - 1200 mm / 47" deep

w.1200 x d.1200 mm / 47" x 47"	w.2000 x d.1200 mm / 79" x 47"
w.1400 x d.1200 mm / 55" x 47"	w.2200 x d.1200 mm / 87" x 47"
w.1600 x d.1200 mm / 63" x 47"	w.2400 x d.1200 mm / 94.5" x 47"
w.1800 x d.1200 mm / 71" x 47"	w.2600 x d.1200 mm / 102" x 47"




Top in melamine, Fenix HPL or veneer - 1400 mm / 55" deep

w.1400 x d.1400 mm / 55" x 55"	w.2000 x d.1400 mm / 79" x 55"
w.1600 x d.1400 mm / 63" x 55"	w.2200 x d.1400 mm / 87" x 55"
w.1800 x d.1400 mm / 71" x 55"	w.2400 x d.1400 mm / 94.5" x 55"



Top in melamine or veneer - 1600 mm / 63" deep


w.1400 x d.1600 mm / 55" x 63"	w.2000 x d.1600 mm / 79" x 63"
w.1600 x d.1600 mm / 63" x 63"	w.2200 x d.1600 mm / 87" x 63"
w.1800 x d.1600 mm / 71" x 63"	w.2400 x d.1600 mm / 94.5" x 63"



Top in melamine or veneer - 1800 mm / 71" deep

w.1400 x d.1800 mm / 55" x 71"	w.2000 x d.1800 mm / 79" x 71"
w.1600 x d.1800 mm / 63" x 71"	w.2200 x d.1800 mm / 87" x 71"
w.1800 x d.1800 mm / 71" x 71"	

Meeting tables / benches




OOG 3 Interieurarchitectuur

These tables can be used both as workstations and as meeting tables

A bench is formed by 1 start module and 1 end module. For longer benches/meeting tables, add one or more connecting modules.

Example: 4 person bench (1 start module, 1 end module)


Example: 6 person bench (1 start module, 1 connecting module, 1 end module)



The modules are connected by a recessed central support, covered in black elastics to function as vertical cable guidance. Because it is recessed, the central support provides leg space and allows for chairs to pass freely. The central support also ensures a clean look, as if the whole bench/meeting table is supported only by the 4 legs on the outer corners.

Finish base and tops identical to the individual desks.


Meeting tables / benches



Start module

Start module - Connecting module - End module 1000 mm / 39"


w.1400 x d.1000 mm / 55" x 39"
 w.1600 x d.1000 mm / 63" x 39"
 w.1800 x d.1000 mm / 71" x 39"
 w.2000 x d.1000 mm / 79" x 39"
 w.2200 x d.1000 mm / 87" x 39"
 w.2400 x d.1000 mm / 94.5" x 39"
 w.2600 x d.1000 mm / 102" x 39"



Connecting module

Start module - Connecting module - End module 1200 mm / 47"

w.1400 x d.1200 mm / 55" x 47"
 w.1600 x d.1200 mm / 63" x 47"
 w.1800 x d.1200 mm / 71" x 47"
 w.2000 x d.1200 mm / 79" x 47"
 w.2200 x d.1200 mm / 87" x 47"
 w.2400 x d.1200 mm / 94.5" x 47"
 w.2600 x d.1200 mm / 102" x 47"



End module

Start module - Connecting module - End module 1400 mm / 55"

w.1400 x d.1400 mm / 55" x 55"
 w.1600 x d.1400 mm / 63" x 55"
 w.1800 x d.1400 mm / 71" x 55"
 w.2000 x d.1400 mm / 79" x 55"
 w.2200 x d.1400 mm / 87" x 55"
 w.2400 x d.1400 mm / 94.5" x 55"


Start module - Connecting module - End module 1600 mm / 63"

w.1400 x d.1600 mm / 55" x 63"
 w.1600 x d.1600 mm / 63" x 63"
 w.1800 x d.1600 mm / 71" x 63"
 w.2000 x d.1600 mm / 79" x 63"
 w.2200 x d.1600 mm / 87" x 63"

Start module - Connecting module - End module 1800 mm / 71"

w.1400 x d.1800 mm / 55" x 71"
 w.1600 x d.1800 mm / 63" x 71"
 w.1800 x d.1800 mm / 71" x 71"
 w.2000 x d.1800 mm / 79" x 71"
 w.2200 x d.1800 mm / 87" x 71"

Executive leather desk




Top in leather with 2 grommets type Normal and underdesk high gloss lacquered drawer

w.2400 x d.1000 mm / 94.5" x 39"
w.2680 x d.1200 mm / 105.5" x 47"



Top in leather with 2 grommets type Normal, without underdesk drawer

w.2400 x d.1000 mm / 94.5" x 39"
w.2680 x d.1200 mm / 94.5" x 39"



Top in leather without grommets, without underdesk drawer

w.1400 x d.1400 mm / 55" x 55"
w.2400 x d.1000 mm / 94.5" x 39"
w.2680 x d.1200 mm / 94.5" x 39"

Tops in grey-green or red leather.

Grey-green leather top:

Polished aluminium edge profile and base

2 Normal grommets with chrome frame and grey-green leather cover, on positions 2 and 6

Optional: underdesk drawer in red high gloss lacquer

Red leather top:

Black aluminium edge profile and base

2 Normal grommets with black lacquered frame and red leather cover, on positions 2 and 6

Optional: underdesk drawer in black high gloss lacquer

These leathers are of the highest quality, handpicked at the tanner by Bulo.


The optional underdesk drawer houses a small round station clock.

Standing tables



Base

The cross-shaped legs are made of solid aluminium, 1000 mm / 39" long. Available in lily white lacquered, black lacquered and grey-green lacquered.



Tops & height adjustability

Melamine on chipboard with matching ABS edge band, 18 mm / 0.7" thick h.1026 - 1106 mm / 40" - 43.5"


HPL Fenix on mdf with matching ABS edge band, 13 mm / 0.5" thick h.1021 - 1101 mm / 40" - 43.5"
Fenix can only be applied on tops up till 1500 mm / 59" deep.

Veneer on chipboard with matching veneer edge band, 22 mm / 0.9" thick h.1030 - 1110 mm / 40.5" - 44"
Veneer on mdf, chamfered edge, 27 mm / 1" thick (10 mm / 0.4" straight veneered edge visible)
h.1035 - 1115 mm / 41" - 44"

The position of the legs on the height adjustment elements sets the height of the top at installation.

An H2O standing height table can not be longer than 1800 mm / 71" and not deeper than 1000 mm / 39".

Standing tables

**Top in melamine, Fenix HPL or veneer - 800 mm / 31.5" deep**

w.800 x d.800 mm / 31.5" x 31.5"

w.1400 x d.800 mm / 55" x 31.5"

w.1600 x d.800 mm / 63" x 31.5"

w.1800 x d.800 mm / 71" x 31.5"

Top in melamine, Fenix HPL or veneer - 1000 mm / 39.5" deep

w.1000 x d.1000 mm / 39.5" x 39.5"

w.1400 x d.1000 mm / 55" x 39.5"

w.1600 x d.1000 mm / 63" x 39.5"

w.1800 x d.1000 mm / 71" x 39.5"

Accessories

Screens

WNDV* Fixed with L-shaped profiles to the table top

WNDT* Built-in into the center of the table top

WNDG* Freestanding


Available in five heights: 200, 300, 400, 500 and 600 mm / 8", 12", 16", 20" and 24"

Screen finishes:

Non-acoustic in lacquer or veneer

Acoustic in fabric upholstery

Fitting finishes: aluminium color, lily white or black



Horizontal cable management

Cable nets

H2+KN*

Cable clamps

ELCKK01



Vertical cable management

Cable spine with foot in grey

H2+SLFR*



Grommets

Positions

To ensure the correct cutout is made in the top, the type of grommet and its position must be indicated with the H2O table.


The grommet itself has to be ordered separately, see price list Electrification.

The below views are top views and seen from the user's side.

The cutouts 1, 2, 5, 6, 7 and 9 start at 350 mm / 14" from the edge.


The cutouts 3, 4 and 8 are positioned centrally.

For H2O table 800 / 31.5", 1000 / 39.5" and 1200 mm / 47" deep



Accessories

For H2O table/bench/meeting table as from 1400 mm / 55" deep



Grommet	Position 1, 2, 3, 4, 5, 6	Position 7, 8, 9
Compact	✓	✓
Diam. 60 mm	✓	✓
Diam. 80 mm	✓	✓
Go	✓	✓
Hub E3		✓
Hub EL		✓
Normal	✓	✓
Point	✓	✓
Style (*)	✓	✓
Swing		✓
Top Access	✓	✓
Top Desk		✓
XXL	✓	✓

(*) 'Style' grommets require 210 mm / 8" between 2 opposite cutouts

(**) Exclusions:

Positions 2 and 6 are not possible in start, connecting and end modules.

Positions 7, 8 and 9 are not possible in tables on 4 legs that are 2400 mm / 94.5" wide or wider AND 800 mm / 31.5" deep.

Positions 7, 8 and 9 are not possible for HUB E3 and HUB EL grommets in tables on 4 legs that are 2400 mm / 94.5" wide or wider AND 1000 / 39" deep.

Accessories

Grommets

Types

E. Round, diam. 60 mm / 2.4"

With brush profile



F. Top Desk

Rectangular grommet without brush profile

Dim.: 40,4 x 9,5 cm / 16" x 4"

Cover flush with the top and in the same finish as the top

Always including socket outlet, excluding connecting/mains lead



G. Round, diam. 80 mm / 3"

With brush profile



H. HUB

2 layouts: HUB EL and HUB E3

HUB EL

Double, square grommet with brush profiles. Dim. 25 x 25 cm / 10" x 10"

Both covers in the same finish as the top

Can be equipped with 2 built-in power sockets with 2 modules each.



HUB E3

Double, square grommet with brush profiles. Dim. 25 x 25 cm / 10" x 10"

Both covers in the same finish as the top

Can be equipped with 2 built-in power sockets with 3 modules each.



I. Go

Rectangular grommet in lacquered metal

Dim.: 27,5 x 16 cm / 11" x 6"

With brush profile

Always including socket outlet, excluding connecting/mains lead



Accessories


J. Normal

Rectangular grommet with brush profile

Dim.: 15 x 9,5 cm / 6" x 4"

Cover in the same finish as the top

Can be equipped with a built-in power socket with 2 modules.



K/L/M/N/O. Style

The Style grommet comes in 5 lengths

Rectangular grommet without cover

Always including socket outlet, excluding connecting/mains lead




P/Q/R/S. Compact

The Compact grommet comes in 4 lengths

With brush profile

Always including socket outlet, excluding connecting/mains lead



T/U/V/W. Swing

The Swing grommet comes in 4 lengths

The cover opens on both sides and is ideal for meeting tables.

With 2 brush profiles

Always including socket outlet, excluding connecting/mains lead



X. XXL

Rectangular grommet with brush profile

Dim.: 22,5 x 9,5 cm / 9" x 4"

Cover in the same finish as the top

Can be equipped with a built-in power socket with 3 modules.



Y. Point

Diam. 80 mm / 3"

Grommet without cover



Z. Top Access

Dim.: 300 x 120 mm / 12" x 5"


With brush profile

For cable guidance only. Not equipped to hold a socket outlet.




Materials

Melamine




Lily white 01

Fenix HPL




Lily white 0029 F1




Black 0720 F4




Beige arizona 0748 F2



Blu fes 0754 F6



Grigio bromo 0724 F3



Verde comodoro 0750 F7


FENIX NTM® is a super opaque nanotech material. It combines elegant aesthetic solutions with state-of-the-art technological performance. The external surface of FENIX NTM® involves the use of nanotechnology that allows thermal healing of superficial micro-scratches. FENIX NTM® has low light reflectivity, is anti-fingerprint and features a very pleasant soft touch. It is highly resistant to scratches, abrasion, rubbing and dry heat. It significantly reduces the bacterial load making its surface hygienic and easy to clean. It is also liquid repellent and mold-proof.

Materials

Veneer category A




Ash ES



Walnut NN




Walnut mismatched NM



Cherry KE




European oak EK




Black lacquered European oak EE

Materials

Veneer category B



Fossil oakME



Fumed oakGE



TeakTE



ZebranoZE




Santos rosewoodPL



WengeWE

Materials

Leather



Red LERO



Grey-green LE35




Black high gloss lacquer RAL 9005




Red high gloss lacquer NCS1085-Y90R

Materials

Solid aluminium legs



Lily white1



Black4




Natural anodized8



Bronze color anodized7



PolishedP



Grey-green5