

B
U
L
O
&
P
U
B



With soft cushions and broad armrests, **Pub & Club** transcends the functional aspect of the desk chair to luxurious comfort and playful aesthetics. Pub & Club is the perfect antidote to the rigid technical office chair, making working cosy and warm with a touch of lounge. The chair is available with or without armrests, and is fully upholstered in fabric or leather. The base comes in black, aluminium color or chrome.



A black and white close-up portrait of Luc Vincent, showing his eyes, nose, and mouth. He has short, light-colored hair and is looking directly at the camera with a serious expression. The image is partially obscured by a vertical black bar on the left side.

Luc Vincent

Belgian product and graphic designer **Luc Vincent** works and lives in Brussels. He studied at La Cambre and for several years he has been a partner of Jean Nouvel Design in Paris. Now he works as independent designer and art director for multiple brands such as Modular, Obumex, Bulo, Wolters, Serax and Hind Rabbii. He curates the Jules Wabbes Editions 2010 and the re-editions of Louis Herman DeKoninck. During his time as art director for Bulo, he designed the bistro chair oOstende and the iconic Pub&Club office chair.


Content

Specifications	4
Types	5
Dimensions	8
Materials	9
Upholstery Fabrics	10
Upholstery Leather	13



Specifications

Adjustable seat height, adjustment for weight, fixation of synchronous mechanism.
With or without sliding seat.



1. Synchronised mechanism
2. Adjustment to the body weight
3. Seat height adjustment
4. Fixation synchronised mechanism
5. Fixation sliding seat (only on desk chairs with sliding seat)

The handles are in black glazed porcelain

All plywood is FSC certified.

Steel is certified with ISO 9001:2015 , ISO 14001:2015

Foam is certified, CRIB5

All the wood used is FSC certified.

Powder coating is a lacquer technique that is less harmful to the environment in contrast to wet coating.

(no solvents and little production waste).

Types Square upholstered arm rests

Desk chair without sliding seat



Desk chair with sliding seat



Visitor's chair with 4-star base on pvc glides



Visitor's chair with 5-star base on castors



Types No arm rests

Desk chair without sliding seat



Desk chair with sliding seat



Visitor's chair with 4-star base on pvc glides



Visitor's chair with 5-star base on castors



Types High upholstered arm rests

Desk chair without sliding seat



Desk chair with sliding seat



Visitor's chair with 4-star base on pvc glides




Visitor's chair with 5-star base on castors



Dimensions


Desk chair

w 560 mm
d 495 mm
h 860-990 mm



Visitor's chair

w 560 mm
d 495 mm
h 920-950 mm



Materials

Base



Black Lacquered



Aluminium Color Lacquered



Chrome


Castors

Hard castors for carpet

Soft castors for hard floors and wooden floors

Main Line Flax

Category: 1 | MLF02



Composition 70% Pure New Wool, 30% Flax

Weight 13 oz/sq yd


Abrasion \geq 100,000 double rubs, ASTM D4157 Wyzenbeek method

Fastness to light 4, AATCC-16 (40 hours)

Flammability California Technical Bulletin 117 - 2013, NFPA 260 + UFAC Class 1, BS 7176 Low Hazard, ASTM E84 Class 1 or A (Adhered)

Blazer

Category: 2 | CUZ2Q



Composition 100% Pure New Wool

Weight 13 1/2 oz/sq yd

Abrasion \geq 75,000 double rubs, ASTM D4157 Wyzenbeek method

Fastness to light 4, AATCC-16 (40 hours)

Flammability California Technical Bulletin 117 - 2013, NFPA 260 + UFAC Class 1, BS 7176 Low Hazard, ASTM E84 Class 1 or A (Adhered)

Credo

Category: 2 | Lampion



Composition 95% New Wool, 5% PA (polyamide)

Weight 610 g/m² - 870 g/lfm

Abrasion 100.000 rubs, ISO 12947-2

Pilling \geq 4-5, ISO 12945-2

Fastness to light \geq 5, ISO 105-B02

Flammability FAR 25.853 (12 sec. vertical), CAL TB 117 - 2013, DIN 4102-1 B2, DIN EN 13501-1, DIN EN 1021 -1 und -2, BS 5852:1979 (part1), BS 5852:2006 (part2) Crib5, BKZ: 5.3 SN 198898, UNI 9175 (1 IM), NF P92 503-507 M2, IMO: 2014/90/EU Marine Equipment Directive


Re-wool

Category: 2 | RW-198

**Composition** 5% New wool (worsted), 45% Recycled wool, 10% Nylon**Weight** 540 g/lin.m**Sustainability** Complies with EU ecolabel "The Flower"**Abrasion** 100.000 Martindale**Pilling** 4**Fastness to light** 7**Flammability** BS 5852 Crib 5 with treatment, BS 5852 ignition source 3, BS 5852 part 1, EN 1021-1/2, NF D 60 013, UNI 9175 1IM, US Cal. Bull. 117-2013, ÖNORM B1/ Q1, AS/NZS 3837 Class 2

Corduroy

Category: 2 | Burgundy

**Composition** Pool: 65%Polyester, 35%Katoen


Fond: 34%Polyester, 18%Viscose, 48%Kanecaron(Mod.Acryl)

Weight 695 g/m²**Abrasion** 40.000 Martindale**Fastness to light** 5**Flammability** BS5852 Part1&2

Steelcut 2

Category: 3 | CT110

**Composition** 90% New wool (worsted), 10% Nylon**Weight** 825 g/lin.m**Sustainability** Complies with EU ecolabel "The Flower"**Abrasion** 100.000 Martindale**Pilling** 3-4**Fastness to light** 6**Flammability** AS/NZS 3837, class 2, BS 5852 part 1, EN 1021-1/2, IMO FTP Code 2010 Part 8, NF D 60 013, SN 198 898 5.3 with treatment, UNI 9175 1IM, US Cal. Bull. 117-2013, ÖNORM B1/ Q1, BS 5852 Crib 5 with treatment, NFPA 260, AS/NZS 1530.3



Composition 70% New wool, 30% Viscose

Weight 795 g/lin.m


Sustainability Complies with EU ecolabel "The Flower"

Abrasion 100.000 Martindale

Pilling 3-4

Fastness to light 7

Flammability AS/NZS 1530.3, BS 5852 Crib 5, BS 5852 part 1, EN 1021-1/2, IMO FTP Code 2010 Part 8, NF D 60 013, NFPA 260, SN 198 898 5.3 with treatment, UNI 9175 1IM, US Cal. Bull. 117-2013, ÖNORM B1/ Q1, BS 5852 ignition source 3



Composition 90% New wool (worsted), 10% Nylon

Weight 770 g/lin.m

Sustainability Complies with EU ecolabel "The Flower"

Abrasion 100.000 Martindale

Pilling 4

Fastness to light 5

Flammability AS/NZS 3837, class 2, BS 5852 part 1, EN 1021-1/2, IMO FTP Code 2010 Part 8, NF D 60 013, NFPA 260, SN 198 898 5.3 with treatment, UNI 9175 1IM, US Cal. Bull. 117-2013, ÖNORM B1/ Q1, BS 5852 Crib 5 with treatment, AS/NZS 1530.3, BS 5852 ignition source 3

Upholstery Leather



White



Black